

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 445 | (418/91).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/21 15:38 |
| S2 | 440 | (418/49-53).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/21 15:39 |
| S3 | 13 | S2 and wav\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/21 15:39 |
| S4 | 40 | (418/103).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/21 15:46 |
| S5 | 305 | (418/131).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/21 15:47 |
| S6 | 322 | (418/217,219).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/21 15:55 |
| S7 | 2332 | (shaft with "rotating sleeve" or "sleeve rotates") same bearing | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/21 17:28 |
| S8 | 1386 | (shaft with ("rotating sleeve" or "sleeve rotates")) same bearing | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/21 17:28 |
| S9 | 19 | "418".clas. and S8 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/21 17:29 |

| | | | | | | |
|-----|--------|---|---|----|-----|---------------------|
| S10 | 239364 | ("74").CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/22 12:05 |
| S11 | 185 | S10 and "rotary pump" and bearing and shaft | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/22 12:05 |
| S12 | 0 | ("594.1-594.7").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/22 12:19 |
| S13 | 2737 | (74/594.1-594.7). CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/05/22 12:20 |
| S14 | 153 | S13 and tool | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/22 12:20 |
| S15 | 72 | S13 and (tool same assembl\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/22 12:20 |
| S16 | 18 | S13 and (tool same assembl\$4) and (((without or "no" or "not") with tool) or toolless or tooless or "tool-less") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/22 12:24 |
| S17 | 106 | "418".clas. and (bearings with shaft) and (bearing with axial with plane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/22 12:54 |
| S18 | 1 | "418".clas. and (bearings with shaft) and (bearings near5 axial adj plane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/22 12:55 |
| S19 | 13 | "418".clas. and (bearings with shaft) and (bearings near5 axial near3 plane) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/05/22 12:55 |

5/26/2008 2:33:08 PM

C:\Documents and Settings\dduff\My Documents\EAST\Workspaces\10597044.wsp